

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	((monitor monitored monitoring watch watched watching determine determined determining determination measure measuring measurement measured) with ((tire tyre inflatable wheel) near3 (operate operating operation operational function functioning functional operable functional useable) near3 (state status condition))) and ((select selecting selection selected choose chosen choosing chose) near3 mode) and (((monitor monitored monitoring watch watched watching determine determined determining determination measure measuring measurement measured) calibrate calibrating calibrated calibration) near3 (variable parameter)) and ((plural several plurality many multiple) near3 (monitor monitored monitoring watch watched watching determine determined determining determination measure measuring measurement measured)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/13 11:10
L2	1220	73/146.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:11
L3	88	73/146.4.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:11
L4	1000	340/425.5.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:11
L5	722	340/442.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:11
L6	194	340/443.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:11
L7	1332	340/438.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L8	111	702/1.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L9	257	702/33.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L10	426	702/45.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L11	179	702/47.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L12	301	702/50.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L13	175	702/51.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L14	294	702/127.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12
L15	204	702/138.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:12

L16	119	702/140.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:13
L17	692	702/188.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:13
L18	566	702/189.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:13
L19	2	702/140.ccls. and 73/146.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:15
L20	2	702/140.ccls. and 73/146.4.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:17
L21	0	702/140.ccls. and 340/425.5.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:14
L22	8	702/140.ccls. and 340/442.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:17
L23	3	702/140.ccls. and 340/443.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:18
L24	1	702/140.ccls. and 340/438.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:18
L25	0	702/140.ccls. and 702/1.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:15
L26	0	702/140.ccls. and 702/33.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:15
L27	4	702/140.ccls. and 702/45.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L28	1	702/140.ccls. and 702/47.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L29	2	702/140.ccls. and 702/50.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L30	6	702/140.ccls. and 702/51.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L31	1	702/140.ccls. and 702/127.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L32	9	702/140.ccls. and 702/138.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:19
L33	3	702/140.ccls. and 702/188.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:20
L34	0	702/140.ccls. and 702/189.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:15

S1	0	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (mode or manner or modality) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:24
S2	0	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (mode or manner or modality) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:26
S3	0	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (mode or manner or modality) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	USOCR	OR	ON	2004/10/26 14:23

S4	1	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:23
S5	0	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (mode or manner or modality) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:24
S6	0	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:25
S7	0	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:24

S8	0	("4758969", "5469136", "5569848", "5753809", "5940781", "6182021", "6584427", "6691059", "6754615", "6804623").pn. and ((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	USPAT	OR	ON	2004/10/26 14:25
S9	200	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:25
S10	0	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (mode or manner or modality) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:29
S11	0	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:26
S12	4	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (current or present or instant) near3 (tire or tyre) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:27

S13	1	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((monitor\$3 or watching) near5 (calibration or correction or weighting) near3 (value or variable or parameter) near3 (target or threshold or set\$point or goal or expected) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:26
S14	0	((method\$5 or process or procedure or step or way or program or algorithm) near5 (monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (monitor\$3 or watching) near3 (mode or manner or modality) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:29
S15	0	((monitor\$3 or watching) near5 (tire or tyre) near3 (state or status or condition or characteristic)) and ((select\$3 or choos\$3 or opt\$3) near3 (vehicle or car or conveyance or auto or automobile) near3 (monitor\$3 or watching) near3 (mode or manner or modality) near3 (state or status or condition or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/10/26 14:29
S16	1	de-19944391-\$.did.	EPO; DERWENT	OR	OFF	2005/04/13 10:14
S17	2	de-3236520-\$.did.	EPO; DERWENT	OR	OFF	2004/10/26 08:58
S18	2	de-3610116-\$.did.	EPO; DERWENT	OR	OFF	2004/10/26 08:59
S19	2	ep-291217-\$.did.	EPO; DERWENT	OR	OFF	2004/10/26 09:56
S20	1	"4876528".pn.	USPAT	OR	OFF	2004/10/26 09:02
S21	1145	73/146.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S22	80	73/146.4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S23	947	340/425.5.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S24	669	340/442.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S25	190	340/443.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S26	102	702/1.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S27	244	702/33.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57

S28	388	702/45.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:57
S29	175	702/47.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:58
S30	278	702/50.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:58
S31	155	702/51.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:58
S32	255	702/127.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:58
S33	196	702/138.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 09:58
S34	116	702/140.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:00
S35	0	702/140.ccls. and 340/425.5.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:00
S36	0	702/140.ccls. and 702/1.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:01
S37	0	702/140.ccls. and 702/33.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:01
S38	2	702/140.ccls. and 73/146.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:01
S39	2	702/140.ccls. and 73/146.4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:02
S40	8	702/140.ccls. and 340/442.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:03
S41	3	702/140.ccls. and 340/443.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:06
S42	4	702/140.ccls. and 702/45.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:06
S43	1	702/140.ccls. and 702/47.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:07
S44	2	702/140.ccls. and 702/50.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:07
S45	6	702/140.ccls. and 702/51.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:07
S46	1	702/140.ccls. and 702/127.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:07
S47	8	702/140.ccls. and 702/138.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/26 10:07